



DISTRIBUTION PAR

# PROSAT<sup>®</sup> PS-911 ETOH Wipes



## Presaturated cleanroom wipes

### Description

The PROSAT PS-911 ETOH consists of 30 polypropylene wipes saturated with a solution of 70% denatured ethyl alcohol and 30% deionized water in a resealable pouch. The pouch opens easily and wipes are readily dispensed. Resealing the pouch preserves the cleanliness of the solvent and wipes. The wipe has been manufactured utilizing a meltblown process to lock down fibers and reduce particulation without the use of chemical binders. Increase solvent control and accountability and reduce VOC emissions with these ISO Class 5 cleanroom compatible wipes. Excellent for manufacturers who utilize SDA3A alcohol. Available sterile per AAMI Guidelines.

### Technical Data

Wipe material	Polypropylene
Wipe construction	Meltblown nonwoven
Solution of saturation; (blend ratio and constituents)	70% SDA3A denatured ethyl alcohol 30% deionized water

Attribute; (units)	Value **	Test Method
Basis weight; (g/m <sup>2</sup> )	36	
Non-volatile residue, NVR		IEST-RP-CC004.2, Sec. 7.1.2
In deionized water; (g/m <sup>2</sup> )	0.01	
In isopropanol; (g/m <sup>2</sup> )	0.07	
Specific ions		IEST-RP-CC004.2, Sec. 7.2.2
Sodium; (ppm)	3.0	
Chloride; (ppm)	5.0	
Particles, readily releasable		IEST-RP-CC004.2, Sec. 5.1
P ≥ 0.5µm; (x10 <sup>6</sup> /m <sup>2</sup> )	5.8	
Fibers > 100µm; (x10 <sup>3</sup> /m <sup>2</sup> )	6.3	IEST-RP-CC004.2, Sec. 5.2

Part Number	Description	EA/PCH	PCH/OB1	OB1/CS	EA/CS
PS-911 ETOH	PROSAT wipes, 9" x 11" (23 x 28cm), 70% ETOH/ 30% DI Water	30	10	5	1500

Part Number	Description	EA/PCH	PCH/OB1	OB1/OB2	OB2/CS	EA/CS
PS-911 EB/ ETOH	PROSAT Sterile wipes, 9" x 11" (23 x 28cm), 70% ETOH/ 30% DI Water	30	6	2	4	1440

Key: EA = Each, PCH = Pouch, OB1 = Outer Bag 1, OB2 = Outer Bag 2, CS = Case

### Notes:

- 1) The information presented here is applicable to the part numbers shown above as well as to any product containing the same materials and produced under the same conditions, regardless of product size or packaging configuration. Please contact a Contec sales representative for more details.
- 2) Data shown are typical values and should not be used as product specifications.
- 3) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- 4) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Revision date: 04/20/17



Copyright © 2017 Contec, Inc. All rights reserved.

**North America**  
P.O. Box 530  
Spartanburg, SC 29304 USA  
Phone: +1-864-503-8333  
www.contecinc.com

**Europe**  
ZI du Prat – RP 3707  
56037 VANNES Cedex  
FRANCE  
+33 297 437 690

**China**  
No.17 Longyun Road  
Suzhou 215024  
CHINA  
+ 86-512-6274 4050